

www.milele.com ()

(LHD) TATA LPO 1618 5.9D MT 66 SEATERS MY2024 - WHITE

VEHICLE CODE: LPO16185.9D_1 TECHNICAL FEATURES

ENGINE

Model: Type: No. of Cylinders: Capacity: Max. Engine Output: Max. Torque:

Clutch

Type: Diameter of Clutch Lining:

Gearbox

Model: No. of gears: Cummins B180 Water cooled, Turbocharged inter- cooled diesel engine 6 inline 5883 CC 180Hp @ 2250rpm 654Nm @ 1500rpm

Single plate dry friction type 352mm

Tata GBS-600 with Overdrive synchromesh 6 Forward, 1 Reverse







www.milele.com ()

Front Axle

Heavy duty Forged I beam Reverse Elliot type

Rear Axle

Single reduction, Hypoid Gears, fully floating axle shafts

Steering

Power assisted Hydraulic steering

Frame

Ladder type frame with riveted/ bolted cross members

Suspension

Туре:	Semi elliptical leaf spring at front and rear-weveller type
Anti Roll bar:	At front only
Shock Absorbers:	Hydraulic double acting telescopic type at front

Brakes

Service Brakes:	Fully duplicated, full air S-CAM brake system
Parking Brake:	Spring actuated parking brake acting on rear wheels
Engine Exhaust Brake:	Pneumatically operated with foot control valve

Wheels & Tyres

Tyres:	11R22.5-16PR
Wheel rims:	8.25x22.5
No. of Wheels:	Front- 2, Rear- 4, Spare- 1

Electrical System

System Voltage:	24 Volts
Alternator Capacity:	45 Amps
Battery:	2X12 V, 180 Ah

Fuel Tank Capacity:

350 Litres-STD

Main Dimensions (BUS)

Wheel Base (mm.):	5545
Overall Length (mm.):	11130 (with 65% ROH)
Max. Width (mm.):	2570





www.milele.com (

Weights (kg)

Max. Permissible FAW:	6000
Max. Permissible RAW:	10200
Max. Permissible GVW:	16200
Seating Capacity:	66

Performance

Max. Climbing Ability in 1st Gear:	0.3
Max. geared speed in top gear:	96 kmph







www.milele.com (



www.milele.com




www.milele.com ()







www.milele.com ()






www.milele.com



www.milele.com ()





www.milele.com