





(RHD) TOYOTA LAND CRUISER 300 VX 3.3D AT MY2024 - BLACK

VEHICLE CODE: RLC3003.3D_38

TECHNICAL FEATURES

Engine

Number Of Cylinders and Arrangement: 6-Cyls. V Type

3346 3.3L 86.0 X 96.0 15,4 Engine:

225 (306) @ 4000 Maximum Power (Kw (Hp) @ R/Min): Maximum Torque (Nm @ R/Min): 700 @ 1600-2600

Transmission: 10At

Brakes

Ventilated Disc Brake With Fixed Caliper 4-Cylinder Ventilated Disc Brake with Floating Caliper 1-Cylinder













Gear Ratio

1st:	4,923
2nd:	3.257
3rd:	2.349
4th:	1.944
5th:	1.532
6th:	1.193
7th:	1.000
8th:	0.801
9th:	0.661
10th:	0.613
Reverse:	4.307
Final Drive Gear Ratio:	3.307

Dimensions And Capacities

Overall Vehicle Length (Mm): 4950-5115
Overall Vehicle Width (Mm): 1980
Overall Vehicle Height (Mm): 1905-1945
Wheelbase (Mm): 2850

Wheelbase (Mm): 2850 945 Front Overhang (Mm): Rear Overhang (Mm): 1190 Approach Angle (*): 32 Front Tread (Mm): 1667 Minimum Ground Clearance (Mm): 235 Minimum Turning Circle (Tyres, M): 5,9 Fuel Tank Size (L): 138 Gross Vehicle Weight (Kg): 3230

Interior

4-Zone Auto Air Conditioner (Front and Rear)

Leather Feel Seats

Electronic Vertical Driver and Passenger Seat Adjust Power Tilt
Telescopic Steering Adjustment Power Back Door (W/Close & Lock Switch)
Leather Steering Wheel with Wood Imitation Wireless Charger for Mobile Phones

Moon Roof With Jam Protection and Remote Control

Exterior

Front Fog Lamps (Led)

Chromed Outside Mirrors Heated with Memory Acoustic Windshield Glass













Safety

Side Airbags (Srs) Curtain Airbags (Srs) Isofix Points For Child Safety On Rear Outer Seats Technical

Welcome Lightning System

Bi-Led Type Main Headlamps (Low and High) Dac

Downhill Assist Control

Ta - Turn Assist Crawl Control

Aim - Awd Integrated Management Automatic High Beam Control Headlamp Cleaner

Bsm - Blind Spot Monitoring System Auto Headlamp Levelling, Auto Dynamic

Auto Dimming Rear View Mirror (Day/Night)

Tyre Dimensions 265/65R18 (71/2J Alumi) High Gloss Rain Sensor

Automatic Wipers Control





























































